Brain Research, 496 (1989) 408–410
Elsevier

Author Index

Åkerman, K.E.O., see Heinonen, E., 187
Akov, Y., see Kobiler, D., 314
Ammons, W.S., Primate spinothalamic cell responses to ureteral occlusion, 124
Anandatheerthavarada, H.K., see Ravindranath, V., 331
Anderson, R.E., see Morgan, M.K., 241
Andres, U., see Kaltwasser, M.T., 380
Araujo, D.M., see Lapchak, P.A., 285
Arvidsson, J., see Rivero-Melian, C., 131
Ashby Jr., C.R., see Rubinstein, J.E., 385

Baker, M.T., see Cohen, A.H., 368
Ben-Nathan, D., see Kobiler, D., 314
Bennett, T., see Harland, D., 14
Bertolini, A., see Sandrini, M., 29
Bowman, R.E., see Uemura, E., 317
Boye, S., see Rompré, P.-P., 295
Brennan, T.J., see Chandler, M.J., 148
Brown, J.C., see Seroogy, K., 389
Buchan, A., see Seroogy, K., 389

Chalmers, J., see Somogyi, P., 401
Chandler, M.J., Garrison, D.L., Brennan, T.J. and Foreman, R.D., Effects of chemical and electrical stimulation of the midbrain on feline T_2–T_6 spinoreticular and spinal cell activity evoked by cardiopulmonary afferent input, 148
Chow, C., see Morrisett, R.A, 25
Cohen, A.H., Baker, M.T. and Dobrov, T.A., Evidence for functional regeneration in the adult lamprey spinal cord following transection, 368
Cohen-Armon, M., Sokolovsky, M. and Dascal, N., Modulation of the voltage-dependent sodium channel by agents affecting G-proteins: a study in *Xenopus* oocytes injected with brain RNA, 197
Collier, B., see Lapchak, P.A., 285
Creutzfeldt, O.D., see Li, C.-y., 307
Cuello, A.C., see Maysinger, D., 165

Dascal, N., see Cohen-Armon, M., 197
Davis, K.L., see Haroutunian, V., 98
De Backer, J.-P., see De Keyser, J., 327
De Keyser, J., De Backer, J.-P., Ebinger, G. and Vauquelin, G., Coupling of D_1 dopamine receptors to the guanine nucleotide binding protein Gs is deficient in Huntington's disease, 327
DeLanney, L.E., see Finnegan, K.T., 251
DeLuna, R., see Uemura, E., 317
Diaz, S., see Leibowitz, S.F., 219
Dimitrov, B., Hallett, M. and Sanes, J.N., Differential influence of posture and intentional movement on human somatosensory evoked potentials evoked by different stimuli, 211
Dobrov, T.A., see Cohen, A.H., 368
Dostrovsky, J.O., see Lenz, F.A., 357
Dreifuss, J.J., see Dubois-Dauphin, M., 45
Dreifuss, J.J., see Dubois-Dauphin, M., 66
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J., Distribution of neurohypophysial peptides in the guinea pig brain. I. An immunocytochemical study of the vaspressin-related glycopeptide, 45
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J., Distribution of neurohypophysial peptides in the guinea pig brain. II. An immunocytochemical study of oxytocin, 66

Ebinger, G., see De Keyser, J., 327
Eckardt, M.J., see Marietta, C.A., 173
Ekström, P.A.R., Kanje, M. and Skottner, A., Nerve regeneration and serum levels of insulin-like growth factor-I in rats with streptozotocin-induced insulin deficiency, 141

Fibiger, H.C., see Yoshida, M. 373
Finnegan, K.T., DeLanney, L.E., Irwin, I., Ricaurte, G.A. and Langston, J.W., The amine-depleting effects of 5,7-dihydroxytryptamine (5,7-DHT) in C57BL/6 mice do not increase with age, 251
Follett, K.A., A telencephalospinal projection in the Tegu lizard (*Tupinambis teguixin*), 89
Foreman, R.D., see Chandler, M.J., 148
Fukuda, S., Taga, K., Tsukui, A., Nishimura, N., Kumagai, Y. and Shimoji, K., Prostaglandin E_1 modifies porcine cerebral arterial tone through cyclooxygenase related eicosanoid(s) release, 397

Gardiner, S.M., see Harland, D., 14
Garofalo, L., see Maysinger, D., 165
Garrison, D.W., see Chandler, M.J., 148
Ghandour, S., see Nakano, Y., 336
Goldstein, M., see Seroogy, K., 389
Gozes, Y., see Kobiler, D., 314
Gulyas, B., see Lagae, L., 361

Hallett, M., see Dimitrov, B., 211
Hama, H., see Yamaguchi, K., 345
Hamada, T., see Ukai, M., 377
Harland, D., Gardiner, S.M. and Bennett, T., Paraventricular nucleus injections of noradrenaline: cardiovascular effects in conscious Long–Evans and Brattleboro rats, 14
Haroutunian, V., Kanof, P.D. and Davis, K.L., Interactions of forebrain cholinergic and somatostatinergic systems in the rat, 98
Hatanaka, H., see Ikegami, S., 321
Heinonen, E., Åkerman, K.E.O. and Panula, P., Changes of the membrane potential in striatal synaptoneurosome, synaptosome and membrane sac preparations induced by glutamate, kainate and aspartate as measured with a cyanine dye DiS-C_2-(5), 187
Hitzemann, R.J., see Rubinstein, J.E., 385
Hökfelt, T., see Seroogy, K., 389
Holmes, L.J., Smythe, G.A. and Storlien, L.H., Monoaminergic activity at the level of the hypothalamus and striatum: relationship to anticipated feeding and pancreatic insulin responses, 204

Ikegami, S., Nihonmatsu, I., Hatanaka, H., Takei, N. and Kawamura, H., Transplantation of septal cholinergic neurons

Brain Research, 496 (1989) 408–410
Elsevier

Author Index

Åkerman, K.E.O., see Heinonen, E., 187
Akov, Y., see Kobiler, D., 314
Ammons, W.S., Primate spinothalamic cell responses to ureteral occlusion, 124
Anandatheerthavarada, H.K., see Ravindranath, V., 331
Anderson, R.E., see Morgan, M.K., 241
Andres, U., see Kaltwasser, M.T., 380
Araujo, D.M., see Lapchak, P.A., 285
Arvidsson, J., see Rivero-Melian, C., 131
Ashby Jr., C.R., see Rubinstein, J.E., 385

Baker, M.T., see Cohen, A.H., 368
Ben-Nathan, D., see Kobiler, D., 314
Bennett, T., see Harland, D., 14
Bertolini, A., see Sandrini, M., 29
Bowman, R.E., see Uemura, E., 317
Boye, S., see Rompré, P.-P., 295
Brennan, T.J., see Chandler, M.J., 148
Brown, J.C., see Seroogy, K., 389
Buchan, A., see Seroogy, K., 389

Chalmers, J., see Somogyi, P., 401
Chandler, M.J., Garrison, D.L., Brennan, T.J. and Foreman, R.D., Effects of chemical and electrical stimulation of the midbrain on feline T_2–T_6 spinoreticular and spinal cell activity evoked by cardiopulmonary afferent input, 148
Chow, C., see Morrisett, R.A, 25
Cohen, A.H., Baker, M.T. and Dobrov, T.A., Evidence for functional regeneration in the adult lamprey spinal cord following transection, 368
Cohen-Armon, M., Sokolovsky, M. and Dascal, N., Modulation of the voltage-dependent sodium channel by agents affecting G-proteins: a study in *Xenopus* oocytes injected with brain RNA, 197
Collier, B., see Lapchak, P.A., 285
Creutzfeldt, O.D., see Li, C.-y., 307
Cuello, A.C., see Maysinger, D., 165

Dascal, N., see Cohen-Armon, M., 197
Davis, K.L., see Haroutunian, V., 98
De Backer, J.-P., see De Keyser, J., 327
De Keyser, J., De Backer, J.-P., Ebinger, G. and Vauquelin, G., Coupling of D_1 dopamine receptors to the guanine nucleotide binding protein Gs is deficient in Huntington's disease, 327
DeLanney, L.E., see Finnegan, K.T., 251
DeLuna, R., see Uemura, E., 317
Diaz, S., see Leibowitz, S.F., 219
Dimitrov, B., Hallett, M. and Sanes, J.N., Differential influence of posture and intentional movement on human somatosensory evoked potentials evoked by different stimuli, 211
Dobrov, T.A., see Cohen, A.H., 368
Dostrovsky, J.O., see Lenz, F.A., 357
Dreifuss, J.J., see Dubois-Dauphin, M., 45
Dreifuss, J.J., see Dubois-Dauphin, M., 66
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J., Distribution of neurohypophysial peptides in the guinea pig brain. I. An immunocytochemical study of the vaspressin-related glycopeptide, 45
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J., Distribution of neurohypophysial peptides in the guinea pig brain. II. An immunocytochemical study of oxytocin, 66

Ebinger, G., see De Keyser, J., 327
Eckardt, M.J., see Marietta, C.A., 173
Ekström, P.A.R., Kanje, M. and Skottner, A., Nerve regeneration and serum levels of insulin-like growth factor-I in rats with streptozotocin-induced insulin deficiency, 141

Fibiger, H.C., see Yoshida, M. 373
Finnegan, K.T., DeLanney, L.E., Irwin, I., Ricaurte, G.A. and Langston, J.W., The amine-depleting effects of 5,7-dihydroxytryptamine (5,7-DHT) in C57BL/6 mice do not increase with age, 251
Follett, K.A., A telencephalospinal projection in the Tegu lizard (*Tupinambis teguixin*), 89
Foreman, R.D., see Chandler, M.J., 148
Fukuda, S., Taga, K., Tsukui, A., Nishimura, N., Kumagai, Y. and Shimoji, K., Prostaglandin E_1 modifies porcine cerebral arterial tone through cyclooxygenase related eicosanoid(s) release, 397

Gardiner, S.M., see Harland, D., 14
Garofalo, L., see Maysinger, D., 165
Garrison, D.W., see Chandler, M.J., 148
Ghandour, S., see Nakano, Y., 336
Goldstein, M., see Seroogy, K., 389
Gozes, Y., see Kobiler, D., 314
Gulyas, B., see Lagae, L., 361

Hallett, M., see Dimitrov, B., 211
Hama, H., see Yamaguchi, K., 345
Hamada, T., see Ukai, M., 377
Harland, D., Gardiner, S.M. and Bennett, T., Paraventricular nucleus injections of noradrenaline: cardiovascular effects in conscious Long–Evans and Brattleboro rats, 14
Haroutunian, V., Kanof, P.D. and Davis, K.L., Interactions of forebrain cholinergic and somatostatinergic systems in the rat, 98
Hatanaka, H., see Ikegami, S., 321
Heinonen, E., Åkerman, K.E.O. and Panula, P., Changes of the membrane potential in striatal synaptoneurosome, synaptosome and membrane sac preparations induced by glutamate, kainate and aspartate as measured with a cyanine dye DiS-C_2-(5), 187
Hitzemann, R.J., see Rubinstein, J.E., 385
Hökfelt, T., see Seroogy, K., 389
Holmes, L.J., Smythe, G.A. and Storlien, L.H., Monoaminergic activity at the level of the hypothalamus and striatum: relationship to anticipated feeding and pancreatic insulin responses, 204

Ikegami, S., Nihonmatsu, I., Hatanaka, H., Takei, N. and Kawamura, H., Transplantation of septal cholinergic neurons

to the hippocampus improves memory impairments of spatial learning in rats treated with AF64A, 321
Imaki, T., Nahon, J.L., Sawchenko, P.E. and Vale, W., Widespread expression of corticotropin-releasing factor messenger RNA and immunoreactivity in the rat olfactory bulb, 35
Irwin, I., see Finnegan, K.T., 251

Jalsenjak, I., see Maysinger, D., 165

Kaltwasser, M.T. and Andres, U., The interaction of central oxytocin and cholecystokinin regulates grooming behavior in the rat, 380
Kameyama, T., see Ukai, M., 377
Kanje, M., see Ekström, P.A.R., 141
Kanof, P.D., see Haroutunian, V., 98
Kasarskis, E.J., see Savage, D.D., 257
Kawamura, H., see Ikegami, S., 321
Keller, A. and White, E.L., Triads: a synaptic network component in the cerebral cortex, 105
Kishino, J., see Takemura, M., 351
Klockgether, T., see Wüllner, U., 341
Kobiler, D., Lustig, S., Gozes, Y., Ben-Nathan, D. and Akov, Y., Sodium dodecylsulphate induces a breach in the blood–brain barrier and enables a West Nile virus variant to penetrate into mouse brain, 314
Kohsaka, S., see Nakano, Y., 336
Kruse, M.N. and Poppele, R.E., Electrical 'tuning' in muscle spindle receptors, 303
Kumagai, Y., see Fukuda, S., 397
Kurumaji, A., Nehls, D.G., Park, C.K. and McCulloch, J., Effects of NMDA antagonists, MK-801 and CPP, upon local cerebral glucose use, 268
Kwan, H.C., see Lenz, F.A., 357

Lagae, L., Gulyas, B., Raiguel, S. and Orban, G.A., Laminar analysis of motion information processing in macaque V5, 361
Langston, J.W., see Finnegan, K.T., 251
Lapchak, P.A., Araujo, D.M., Quirion, R. and Collier, B., Binding sites for [^{3}H]AF-DX 116 and effect of AF-DX 116 on endogenous acetylcholine release from rat brain slices, 285
Leibowitz, S.F., Diaz, S. and Tempel, D., Norepinephrine in the paraventricular nucleus stimulates corticosterone release, 219
Lenz, F.A., Kwan, H.C., Dostrovsky, J.O. and Tasker, R.R., Characteristics of the bursting pattern of action potentials that occurs in the thalamus of patients with central pain, 357
Levin, E.D., see Uemura, E., 317
Li, C.-y., Tanaka, M. and Creutzfeldt, O.D., Attention and eye movement related activation of neurons in the dorsal prelunate gyrus (area DP), 307
Llewellyn-Smith, I., see Somogyi, P., 401
Lustig, S., see Kobiler, D., 314

Majewski, P., see Wollnik, F., 82
Marietta, C.A., Wixon, H.N., Weight, F.F. and Eckardt, M.J., Cerebral glucose utilization in rat brain during phenobarbital withdrawal, 173
Mason, W.T., see Sikdar, S.K., 113
Maysinger, D., Garofalo, L., Jalsenjak, I. and Cuello, A.C., Effects of microencapsulated monosialoganglioside GM1 on cholinergic neurons, 165
McCulloch, J., see Kurumaji, A., 268
McIlhinney, J.R.A., see Somogyi, P., 401
McIntosh, R.P., see Sikdar, S.K., 113
McNamara, J.O., see Morrisett, R.A, 25
Micevych, P.E., see Popper, P., 180
Minson, J.B., see Somogyi, P., 401
Montano, C.Y., see Savage, D.D., 257
Morgan, M.K., Anderson, R.E. and Sundt Jr., T.M., A model of the pathophysiology of cerebral arteriovenous malformations by a carotid–jugular fistula in the rat, 241
Morilak, D., see Somogyi, P., 401
Morrisett, R.A., Chow, C., Nadler, J.V. and McNamara, J.O., Biochemical evidence for enhanced sensitivity to *N*-methyl-D-aspartate in the hippocampal formation of kindled rats, 25

Nadler, J.V., see Morrisett, R.A., 25
Nahon, J.L., see Imaki, T., 35
Nakano, Y., Takei, K., Toya, S., Tsukada, Y., Ghandour, S. and Kohsaka, S., Mosaic reconstruction of blood vessels in mouse neocortical tissue transplanted into the third ventricle of rat brain, 336
Nakayama, S., see Ukai, M., 377
Neal Jr., C.R., Swann, J.M. and Newman, S.W., The colocalization of substance P and prodynorphin immunoreactivity in neurons of the medial preoptic area, bed nucleus of the stria terminalis and medial nucleus of the amygdala of the Syrian hamster, 1
Nehls, D.G., see Kurumaji, A, 268
Newman, S.W., see Neal Jr., C.R., 1
Nihonmatsu, I., see Ikegami, S., 321
Nishimura, N., see Fukuda, S., 397
Norman, A.W., see Seroogy, K., 389

Ochs, G., Schenk, M. and Struppler, A., Painful dysaesthesias following peripheral nerve injury: a clinical and electrophysiological study, 228
Orban, G.A., see Lagae, L., 361

Panula, P., see Heinonen, E., 187
Park, C.K., see Kurumaji, A., 268
Poppele, R.E., see Kruse, M.N., 303
Popper, P. and Micevych, P.E., Localization of calcitonin gene-related peptide and its receptors in a striated muscle, 180

Quirion, R., see Lapchak, P.A., 285

Raiguel, S., see Lagae, L., 361
Ravindranath, V., Anandatheerthavarada, H.K. and Shankar, S.K., Xenobiotic metabolism in human brain — presence of cytochrome *P*-450 and associated mono-oxygenases, 331
Ricaurte, G.A., see Finnegan, K.T., 251
Rivero-Melian, C. and Arvidsson, J., Dose- and time-dependent selective and non-selective effects of ricin (RCA 120) on rat primary sensory neurons, 131
Rompré, P.-P. and Boye, S., Localization of reward-relevant neurons in the pontine tegmentum: a moveable electrode mapping study, 295
Rubinstein, J.E., Hitzemann, R.J., Ashby Jr., C.R. and Wang, R.Y., Long-term treatment with antipsychotics does not alter the phosphoinositide response to muscarinic or D_2 dopaminergic agonists in rat striatum, 385

Sandrini, M., Vergoni, A.V. and Bertolini, A., [^{3}H]Imipra-

mine binding in discrete brain areas is affected by castration in male rats, 29
Sanes, J.N., see Dimitrov, B., 211
Savage, D.D., Montano, C.Y. and Kasarskis, E.J., Quantitative histofluorescence of hippocampal mossy fiber zinc, 257
Sawchenko, P.E., see Imaki, T., 35
Schenk, M., see Ochs, G., 228
Semba, K., see Yoshida, M., 373
Seroogy, K., Hökfelt, T., Buchan, A., Brown, J.C., Terenius, L., Norman, A.W. and Goldstein, M., Somatostatin-like immunoreactivity in rat main olfactory bulb: extent of coexistence with neuropeptide Y-, tyrosine hydroxylase- and vitamin D-dependent calcium binding protein-like immunoreactivities, 389
Shankar, S.K., see Ravindranath, V., 331
Shimoji, K., see Fukuda, S., 397
Shirouzu, M., see Yoshida, M., 373
Sikdar, S.K., McIntosh, R.P. and Mason, W.T., Differential modulation of Ca^{2+}-activated K^+ channels in ovine pituitary gonadotrophs by GnRH, Ca^{2+} and cyclic AMP, 113
Skottner, A., see Ekström, P.A.R., 141
Smythe, G.A., see Holmes, L.J., 204
Sokolovsky, M., see Cohen-Armon, M., 197
Somogyi, P., Minson, J.B., Morilak, D., Llewellyn-Smith, I., McIlhinney, J.R.A. and Chalmers, J., Evidence for an excitatory amino acid pathway in the brainstem and for its involvement in cardiovascular control, 401
Sontag, K.-H., see Wüllner, U., 341
Storlien, L.H., see Holmes, L.J., 204
Struppler, A., see Ochs, G., 228
Sundt Jr., T.M., see Morga, M.K., 241
Swann, J.M., see Neal Jr., C.R., 1

Taga, K., see Fukuda, S, 397
Takahashi, J.S., see Wollnik, F., 82
Takei, K., see Nakano, Y., 336
Takei, N., see Ikegami, S., 321
Takemura, M., Kishino, J., Yamatodani, A. and Wada, H., Inhibition of histamine release from rat hypothalamic slices by ω-conotoxin GVIA, but not by nilvadipine, a dihydropyridine derivative, 351
Tanaka, M., see Li, C.-y., 307
Tanaka, M., see Yoshida, M., 373
Tasker, R.R., see Lenz, F.A, 357
Tempel, D., see Leibowitz, S.F., 219
Terenius, L., see Seroogy, K., 389
Toya, S., see Nakano, Y., 336
Tribollet, E., see Dubois-Dauphin, M., 45
Tribollet, E., see Dubois-Dauphin, M., 66
Tsukada, Y., see Nakano, Y., 336
Tsukui, A., see Fukuda, S, 397
Turek, F.W., see Wollnik, F., 82

Uemura, E., Levin, E.D., DeLuna, R. and Bowman, R.E., Suppressive effects of halothane on reactive synaptogenesis in the dentate gyrus of rats, 317
Ukai, M., Nakayama, S., Hamada, T. and Kameyama, T., Blockade of dopamine D_1 receptors by SCH 23390 antagonizes discriminative stimulus effects of pentazocine, 377

Vale, W., see Imaki, T., 35
Vauquelin, G., see De Keyser, J., 327
Vergoni, A.V., see Sandrini, M., 29

Wada, H., see Takemura, M., 351
Wang, R.Y., see Rubinstein, J.E., 385
Weight, F.F., see Marietta, C.A., 173
White, E.L., see Keller, A., 105
Wixon, H.N., see Marietta, C.A., 173
Wollnik, F., Turek, F.W., Majewski, P. and Takahashi, J.S., Phase shifting the circadian clock with cycloheximide: response of hamsters with an intact or a split rhythm of locomotor activity, 82
Wüllner, U., Klockgether, T. and Sontag, K.-H., Phaclofen antagonizes the depressant effect of baclofen on spinal reflex transmission in rats, 341

Yamaguchi, K. and Hama, H., Evaluation for roles of periventricular cholinoceptors in vasopressin secretion in response to angiotensin II and an osmotic stimulus, 345
Yamatodani, A., see Takemura, M., 351
Yoshida, M., Shirouzu, M., Tanaka, M., Semba, K. and Fibiger, H.C., Dopaminergic neurons in the nucleus raphe dorsalis innervate the prefrontal cortex in the rat: a combined retrograde tracing and immunohistochemical study using anti-dopamine serum, 373